

| Ref # | Hits | Search Query  | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|------|---|---|------------------|---------|------------------|
| L2    | 25   | harman-philip\$.in.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2004/12/13 13:37 |
| L4    | 43   | dynamic-digital-depth\$.as.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2004/12/13 13:41 |
| L5    | 193  | ("382"/\$.ccls. or "348"/\$.ccls. or "359"/\$.ccls. or "356"/\$.ccls. or "345"/\$.ccls.) and ((three or "3" or tri) adj dimension\$2 or 3D or 3-D or stereo or stereoscopic\$4 or DDC.u/c. or multi-view\$5) same (outlin\$3 or trace\$1 or tracing or edge or boundary or contour or segment\$5 or isolat\$3) near (shape or object or subject or region or area) with (identify\$3 or identified or tag\$4 or label\$4 or number\$3 or depth) | US-PGPUB;<br>USPAT                          | OR               | ON      | 2004/12/13 13:45 |
| L6    | 70   | ("382"/\$.ccls. or "348"/\$.ccls. or "359"/\$.ccls. or "356"/\$.ccls. or "345"/\$.ccls.) and ((three or "3" or tri) adj dimension\$2 or 3D or 3-D or stereoscopic\$4 or DDC.u/c.) same (outlin\$3 or trace\$1 or tracing) with (identify\$3 or identified or tag\$4 or label\$4)  | US-PGPUB;<br>USPAT                          | OR               | ON      | 2004/12/13 13:52 |
| L7    | 42   | ("382"/\$.ccls. or "348"/\$.ccls. or "359"/\$.ccls. or "356"/\$.ccls. or "345"/\$.ccls.) and ((three or "3" or tri) adj dimension\$2 or 3D or 3-D or stereoscopic\$4 or DDC.u/c. or depth or range) same (outlin\$3 or trace\$1 or tracing) with (tag\$4 or label\$4)   | US-PGPUB;<br>USPAT                          | OR               | ON      | 2004/12/13 13:57 |
| L8    | 180  | (382/154,180,199,203,236,241, 242,243.ccls. or 348/26,42,51. ccls. or 359/462.ccls. or 356/2,12, 601,611.ccls. or 345/419,421,422, 581,582,584.ccls.) and (outlin\$3 or trace\$1 or tracing or segment\$5 or isolat\$3) near (shape or object or subject or region or area or polygon or geometric or edge or boundary or contour) with (identified or tag\$4 or label\$4 or depth or DDC or ID. u/c.)  | US-PGPUB;<br>USPAT                          | OR               | ON      | 2004/12/13 14:00 |

|     |     |  |                    |    |    |                  |
|-----|-----|--|--------------------|----|----|------------------|
| L10 | 52  | ("382"/\$.ccls. or "348"/\$.ccls. or "359"/\$.ccls. or "356"/\$.ccls. or "345"/\$.ccls.) and ((three or "3" or tri) adj dimension\$2 or 3D or 3-D or stereoscopic\$4 or DDC.u/c. or depth) same (outlin\$3 or trace\$1 or tracing or contour) same (compar\$5 or correlat\$4 or associat\$3 or correspond\$3 or coincid\$4) with (scene or library or generic or background or environment or milieu or setting) | US-PGPUB;<br>USPAT | OR | ON | 2004/12/13 14:06 |
| L11 | 111 | ("382"/\$.ccls. or "348"/\$.ccls. or "359"/\$.ccls. or "356"/\$.ccls. or "345"/\$.ccls.) and ((three or "3" or tri) adj dimension\$2 or 3-D or stereo or stereoscopic\$4 or DDC. u/c. or depth) same (compar\$5 or correlat\$4) near3 (scene or library or generic or environment or milieu or setting)  | US-PGPUB;<br>USPAT | OR | ON | 2004/12/13 14:10 |
| L12 | 73  | ("382"/\$.ccls. or "348"/\$.ccls. or "359"/\$.ccls. or "356"/\$.ccls. or "345"/\$.ccls.) and ((three or "3" or tri) adj dimension\$2 or 3D or 3-D or stereoscopic\$4 or DDC.u/c. or depth) same (outlin\$3 or trace\$1 or tracing or contour) same (compar\$5 or correlat\$4 or associat\$3 or correspond\$3 or coincid\$4) near3 (stored or model or template or reference or prototype)                        | US-PGPUB;<br>USPAT | OR | ON | 2004/12/13 14:14 |
| L13 | 2   | (352/57,86.ccls.) and (outlin\$3 or trace\$1 or tracing or segment\$5 or isolat\$3) with (shape or object or subject or region or area or polygon or geometric or edge or boundary or contour) with (identified or tag\$4 or label\$4 or depth or DDC or ID.u/c.)  | US-PGPUB;<br>USPAT | OR | ON | 2004/12/13 14:20 |
| L14 | 0   | ("352"/\$.ccls.) and ((three or "3" or tri) adj dimension\$2 or 3D or 3-D or stereoscopic\$4 or DDC.u/c. or depth) same (outlin\$3 or trace\$1 or tracing or contour) same (compar\$5 or correlat\$4 or associat\$3 or correspond\$3 or coincid\$4) with (scene or library or generic or background or environment or milieu or setting)   | US-PGPUB;<br>USPAT | OR | ON | 2004/12/13 14:21 |

|     |     |   |   |    |    |                  |
|-----|-----|---|---|----|----|------------------|
| L15 | 6   | ("352"/\$.ccls.) and ((three or "3" or tri) adj dimension\$2 or 3-D or stereo or stereoscopic\$4 or DDC. u/c. or depth) same (compar\$5 or correlat\$4) near3 (scene or library or generic or environment or milieu or setting)   | US-PGPUB; USPAT                             | OR | ON | 2004/12/13 14:23 |
| L16 | 1   | ("352"/\$.ccls.) and ((three or "3" or tri) adj dimension\$2 or 3D or 3-D or stereoscopic\$4 or DDC.u/c. or depth) same (outlin\$3 or trace\$1 or tracing or contour) same (compar\$5 or correlat\$4 or associat\$3 or correspond\$3 or coincid\$4) near3 (stored or model or template or reference or prototype)   | US-PGPUB; USPAT                             | OR | ON | 2004/12/13 14:25 |
| L17 | 0   | ("352"/\$.ccls.) and ((three or "3" or tri) adj dimension\$2 or 3D or 3-D or stereoscopic\$4 or DDC.u/c. ) same (outlin\$3 or trace\$1 or tracing) with (identify\$3 or identified or tag\$4 or label\$4)   | US-PGPUB; USPAT                             | OR | ON | 2004/12/13 14:26 |
| L18 | 0   | ("352"/\$.ccls.) and ((three or "3" or tri) adj dimension\$2 or 3D or 3-D or stereo or stereoscopic\$4 or DDC.u/c. or multi-view\$5) same (outlin\$3 or trace\$1 or tracing or edge or boundary or contour or segment\$5 or isolat\$3) near (shape or object or subject or region or area) with (identify\$3 or identified or tag\$4 or label\$4 or number\$3 or depth) | US-PGPUB; USPAT                             | OR | ON | 2004/12/13 14:26 |
| L19 | 77  | depth adj map\$4 with (stereo or stereoscopic\$4 or 3D or 3-D or (three or "3") adj dimension\$2) near (image or picture or pixel)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/13 14:27 |
| L20 | 110 | (depth or range) near map\$4 same (outlin\$3 or trace\$1 or tracing or edge or boundary or contour or segment\$5 or isolat\$3) same (identif\$4 or label\$4 or tag\$4 or ID.u/c.)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/13 14:30 |
| L21 | 10  | (depth or range) near map\$4 same (ramp)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/12/13 14:36 |

|     |    |  |   |    |    |                  |
|-----|----|--|---|----|----|------------------|
| L22 | 51 | depth with ramp same (imag\$3 or picture or pixel or camera or video)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/13 14:37 |
| L23 | 17 | (depth near map\$4) and ramp   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/13 14:38 |
| L24 | 46 | ("382"/\$.ccls. "348"/\$.ccls. "345"/\$.ccls.) and (texture or bump) near map\$4 with (lumin\$5 or intensity or chrominance or saturation or reflection or shadow or focus or sharpness) with (depth or range)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/13 14:38 |
| L25 | 19 | ((three or "3" or tri) adj dimension\$4 or 3D or 3-D or stereo or stereoscopic\$4 or depth near map\$4) same (outlin\$3 or trace\$1 or tracing or contour or border or boundary or edge or shape) with (compar\$5 or correlat\$4 or correspond\$5 or coincid\$5 or match\$3 or fit\$4 or approximat\$4) with (bezier)          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/13 14:41 |
| L26 | 52 | ((three or "3" or tri) adj dimension\$4 or 3D or 3-D or stereo or stereoscopic\$4 or depth near map\$4) same (compar\$5 or correlat\$4 or correspond\$5 or coincid\$5 or match\$3 or fit\$4 or approximat\$4) same (outlin\$3 or trace\$1 or tracing or contour or border or boundary or edge or shape or curve) with (bezier) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/13 14:43 |
| L27 | 14 | ((three or "3" or tri) adj dimension\$4 or 3D or 3-D or stereo or stereoscopic\$4 or depth near map\$4) same (compar\$5 or correlat\$4 or correspond\$5 or coincid\$5 or match\$3 or fit\$4 or approximat\$4) same (curve) with (unique\$2)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/13 14:45 |
| L28 | 25 | (compar\$5 or correlat\$4 or correspond\$5 or coincid\$5 or match\$3 or fit\$4 or approximat\$4) same (stor\$3 or library or memory or template or database or data adj base) with (curve) near5 (unique\$2)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/13 14:46 |

|     |    |  |   |    |    |                  |
|-----|----|--|---|----|----|------------------|
| L29 | 1  | ((three or "3" or tri) adj dimension\$4 or 3D or 3-D or stereo or stereoscopic\$4 or depth near map\$4 or contour or outline or shape) same (stor\$3 or library or memory or template or database or data adj base) with (curve) with (unique\$2) near (identif\$7 or ID.u/c. or number or defin\$3 or code) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/13 14:47 |
| L30 | 9  | (stor\$3 or library or memory or template or database or data adj base) with (curve) with (unique\$2) near (identif\$7 or ID.u/c. or number or defin\$3 or code)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/13 14:48 |
| L31 | 75 | ("382"/\$.ccls. "348"/\$.ccls. "345"/\$.ccls.) and (compar\$5 or correlat\$4 or correspond\$5 or coincid\$5 or match\$3 or fit\$4 or approximat\$4) with (stor\$3 or library or memory or template or database or data adj base) near (curve)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/12/13 14:49 |